


# ChoreMaster® Series Pressure Washers

Cold Water – Electric – Direct Drive

RESIDENTIAL/COMMERCIAL  
PRESSURE WASHERS



CM-1400-0MEC

*Tackle cleaning jobs around your property with the compact electric CM Series pressure washer. Easy-to-use and lightweight, this pressure washer is the perfect tool for any homeowner.*



NEMA 5-15P,  
15-amp plug

## Pump:

Thermal relief valve ♦ In-line water strainer ♦ Built-in low pressure detergent injector ♦ Oil drain, fill port and sight glass

## Motor:

Totally enclosed fan-cooled electric motor ♦ 35-foot power cord with GFCI and 15-amp plug

## Frame:

Powder coated steel mounting plate with center balanced lift and four rubber isolators (CM-1400-1MEH) ♦ Powder coated steel frame with upright tilt back design and two rubber isolators (CM-1400-0MEC) ♦ Quick release gun/wand holder, hose wrap and convenient nozzle holder (CM-1400-0MEC)

## Unit Includes:

Variable high/low pressure nozzle with adjustable spray pattern 0-60° (CM-1400-1MEH) ♦ Quick connect nozzles - 0°, 15°, 25° and 40° (CM-1400-0MEC) ♦ 25-foot x 3/8-inch non-marking high pressure hose ♦ Professional-grade trigger gun ♦ Two-piece, 36-inch lance

## Limited Warranties:

1 year pump ♦ 1 year electric motor

## Certification:

CSA Certified – US and Canada



CM-1400-1MEH

USAGE	Residential/Commercial	Residential/Commercial
MODEL NO.	CM-1400-1MEH	CM-1400-0MEC
TYPE	Hand carry	Cart-mount
PSI	1400	1400
GPM	1.5	1.5
HORSEPOWER/MOTOR	1.5 HP, 120V, 1Ø, 13.5A	1.5 HP, 120V, 1Ø, 13.5A
PLUG TYPE	NEMA 5-15P	NEMA 5-15P
PUMP	Triplex crankshaft	Triplex crankshaft
UNLOADER	Adjustable pressure	Adjustable pressure
DIMENSIONS (LxWxH)	14x11x10in.	26x18x38in.
SHIP WT.	52 lb.	65 lb.
NET WT.	45 lb.	54 lb.

# ChoreMaster® Series Pressure Washers

Cold Water – Gasoline – Direct Drive – Vertical

The portable CV Series is an excellent choice for all-purpose cleaning around a home, shop or property. Use it to clean decks, driveways, siding and vehicles.



CV-2600-4MMC

RESIDENTIAL/COMMERCIAL  
PRESSURE WASHERS

## Pump:

Aluminum manifold ♦ Thermal relief valve ♦ In-line water strainer ♦ Built-in low pressure detergent injector

## Frame:

Removable powder coated steel 1 1/4-inch tube handle ♦ Welded frame reinforcement ♦ Large 12-inch semi-pneumatic tires

## Unit Includes:

Quick connect nozzles - 15°, 25° and detergent nozzle ♦ Detergent tank (Not available on CV-2600-3MMC) ♦ 30-foot x 1/4-inch nylon-braided high pressure hose ♦ Professional-grade trigger gun ♦ Two-piece, 36-inch lance

## Limited Warranties:

1 year AR pump ♦ 1 year Mi-T-M engine ♦ Honda engine: 3 month, commercial / 2 year, residential



USAGE	Residential	Residential	Residential	Residential
MODEL NO.	CV-2600-3MMC	CV-2600-4MHC	CV-2600-4MMC	CV-3000-4MHC
PSI	2600	2600	2600	3000
GPM	2.2	2.2	2.2	2.2
DISPLACEMENT/ENGINE	170cc Mi-T-M OHV	160cc Honda GCV160 OHC	170cc Mi-T-M OHV	187cc Honda GCV190 OHC
PUMP	AR, axial	AR, axial	AR, axial	AR, axial
UNLOADER	Preset pressure	Preset pressure	Preset pressure	Preset pressure
DETERGENT TANK	No	Yes	Yes	Yes
DIMENSIONS (LxWxH)	26.7x18.6x39.3in.	26.7x18.6x39.3in.	26.7x18.6x39.3in.	26.7x18.6x39.3in.
SHIP WT.	68 lb.	68 lb.	68 lb.	68 lb.
NET WT.	61 lb.	61 lb.	61 lb.	61 lb.

# ChoreMaster® Series Pressure Washers

Cold Water – Gasoline – Direct Drive – Horizontal

RESIDENTIAL/COMMERCIAL  
PRESSURE WASHERS



CM-3000-4MHC

Clean dirt and grime from home exteriors, outdoor equipment and just about any surface with the handy CM Horizontal Series. It's a great choice for both home and small business owners.

## Pump:

Equipped with the Mi-T-M Pressure Relief Start which eliminates pressure build-up in the system ♦ Forged brass manifold ♦ Thermal relief valve ♦ In-line water strainer ♦ Built-in low pressure detergent injector

## Frame:

Removable powder coated steel 1¼-inch tube handle ♦ Welded frame reinforcement ♦ Large 12-inch semi-pneumatic tires

## Unit Includes:

Quick connect nozzles - 15°, 25° and detergent nozzle ♦ Detergent tank ♦ 30-foot x ¼-inch nylon-braided high pressure hose ♦ Professional-grade trigger gun ♦ Two-piece, 36-inch lance

## Limited Warranties:

1 year Mi-T-M pump ♦ 1 year Kohler and Mi-T-M engines ♦ Honda engine: 3 month, commercial / 2 year, residential



CM-3000-4MHC shown with rotary surface cleaner, AW-7020-8609

USAGE	Residential	Residential	Residential/Commercial	Residential/Commercial
MODEL NO.	CM-2500-4MHC	CM-3000-4MHC	CM-3000-4MKC	CM-3000-4MMC
PSI	2500	3000	3000	3000
GPM	2.3	2.3	2.3	2.3
DISPLACEMENT/ENGINE	160cc Honda GC160 OHC	187cc Honda GC190 OHC	196cc Kohler SH265 OHV	212cc Mi-T-M OHV
PUMP	Mi-T-M, axial	Mi-T-M, axial	Mi-T-M, axial	Mi-T-M, axial
UNLOADER	Preset pressure	Preset pressure	Preset pressure	Preset pressure
DETERGENT TANK	Yes	Yes	Yes	Yes
DIMENSIONS (LxWxH)	26.7x18.6x39.3in.	26.7x18.6x39.3in.	26.7x18.6x39.3in.	26.7x18.6x39.3in.
SHIP WT.	74 lb.	78 lb.	84 lb.	84 lb.
NET WT.	64 lb.	68 lb.	74 lb.	74 lb.

# ChoreMaster® Series Pressure Washers

Cold Water – Gasoline – Direct Drive

The multipurpose CM Series is great for keeping patios, siding and equipment clean. Use its built-in detergent injector with a Mi-T-M cleaner to effectively remove mold, mildew and dirt.



CM-4200-OMMB

RESIDENTIAL/COMMERCIAL  
PRESSURE WASHERS

## Pump:

Equipped with the Mi-T-M Pressure Relief Start which eliminates pressure build-up in the system ♦ Thermal relief valve ♦ In-line water strainer ♦ Built-in low pressure detergent injector

## Frame:

Powder coated steel frame and base plate with 1¼-inch tube handles ♦ 10-inch flat-free tires

## Unit Includes:

Quick connect nozzles - 15°, 25° and detergent nozzle ♦ 25-foot x ¾-inch wire-braided high pressure hose (50-foot on CM-3600 and CM-4200 models) ♦ Professional-grade trigger gun ♦ Two-piece, 36-inch lance

## Limited Warranties:

1 year AR and Mi-T-M pumps ♦ 1 year Mi-T-M engine



CM-3200-OMMB

USAGE	Residential/Commercial	Commercial	Commercial	Commercial
MODEL NO.	CM-3000-OMMB	CM-3200-OMMB	CM-3600-OMMB	CM-4200-OMMB
PSI	3000	3200	3600	4200
GPM	2.4	2.4	2.8	3.4
DISPLACEMENT/ENGINE	212cc Mi-T-M OHV	212cc Mi-T-M OHV	300cc Mi-T-M OHV	420cc Mi-T-M OHV
PUMP	Mi-T-M, axial	Mi-T-M, crankshaft	AR, crankshaft	AR, crankshaft
UNLOADER	Fixed pressure	Adjustable pressure	Adjustable pressure	Adjustable pressure
DIMENSIONS (LxWxH)	37x21x24.5in.	37x21x24.5in.	40x22.5x24.5in.	40x22.5x24.5in.
SHIP WT.	100 lb.	110 lb.	180 lb.	192 lb.
NET WT.	75 lb.	85 lb.	130 lb.	142 lb.

## Options:

PART NUMBER	DESCRIPTION	FITS MODELS
CX-0080	50-ft. x ¾-in. wire-braided high pressure hose with quick connects	CM-3200-OMMB
CX-0081	50-ft. x ¾-in. wire-braided high pressure hose with quick connects	CM-3000-OMMB
CX-0100	25-ft. x ¾-in. wire-braided high pressure hose with quick connects	CM-3000-OMMB

# Work Pro® Series Pressure Washers

Cold Water – Gasoline – Direct Drive

RESIDENTIAL/COMMERCIAL  
PRESSURE WASHERS



*Designed to easily handle tough cleaning jobs, the WP Series is great for blasting away mud and muck and is great for cleaning jobs on the farm or small business.*

## Pump:

Equipped with the Mi-T-M Pressure Relief Start which eliminates pressure build-up in the system ♦ Brass manifold ♦ Thermal relief valve ♦ In-line water strainer ♦ Built-in low pressure detergent injector

## Frame:

Powder coated steel frame and base plate with 1¼-inch tube handles ♦ 10-inch flat-free tires

## Unit Includes:

Quick connect nozzles - 15°, 25° and detergent nozzle ♦ 25-foot x ¾-inch wire-braided high pressure hose (50-foot on WP-3600 and WP-4200 models) ♦ Professional-grade trigger gun ♦ Two-piece, 36-inch lance

## Limited Warranties:

1 year AR and Mi-T-M pumps ♦ Kohler engine: 3 month, commercial / 2 year, residential ♦ Honda engine on WP-2500 and WP-3000 models: 3 month, commercial / 2 year, residential ♦ Honda engine on WP-3200, WP-3600 and WP-4200 models: 3 year

## Certification:

Intertek – Certified to UL-1776 (WP-2500 and WP-3000 models)

USAGE	Residential	Residential	Residential/ Commercial	Commercial	Commercial	Commercial
MODEL NO.	WP-2500-4MHB	WP-3000-0MHB	WP-3000-0MKB	WP-3200-0MHB / WP-3200-0MKB	WP-3600-0MHB	WP-4200-0MHB / WP-4200-0MKB
PSI	2500	3000	3000	3200	3600	4200
GPM	2.3	2.3	2.4	2.4	2.8	3.4
DISPLACEMENT/ ENGINE	160cc Honda GC160 OHC	187cc Honda GC190 OHC	196cc Kohler SH265 OHV	196cc Honda GX200 OHV 208cc Kohler CH270 OHV	270cc Honda GX270 OHV	389cc Honda GX390 OHV 429cc Kohler CH440 OHV
PUMP	Mi-T-M, axial	Mi-T-M, axial	Mi-T-M, axial	Mi-T-M, crankshaft	AR, crankshaft	AR, crankshaft
UNLOADER	Fixed pressure	Fixed pressure	Fixed pressure	Adjustable pressure	Adjustable pressure	Adjustable pressure
DIMENSIONS (LxWxH)	37x21x24.5in.	37x21x24.5in.	37x21x24.5in.	37x21x24.5in.	40x22.5x24.5in.	40x22.5x24.5in.
SHIP WT.	100 lb.	100 lb.	100 lb.	110 lb.	180 lb.	192 lb.
NET WT.	75 lb.	75 lb.	75 lb.	85 lb.	130 lb.	142 lb.

## Options:

PART NUMBER	DESCRIPTION	FITS MODELS
CX-0080	50-ft. x ¾-in. wire-braided high pressure hose with quick connects	WP-3200 models
CX-0081	50-ft. x ¾-in. wire-braided high pressure hose with quick connects	WP-2500 & WP-3000 models
CX-0100	25-ft. x ¾-in. wire-braided high pressure hose with quick connects	WP-2500 & WP-3000 models